INTOUCH

WITH LOGAN COLLEGE OF CHIROPRACTIC LIBRARY

September 2011

Topics of Interest

- Acupuncture
- Low Back Pain / Lumbar Spine
- Whiplash Injuries
- Headache / Migraine
- Neck Pain / Cervical Spine
- Shoulder
- Weight Management
- Nutrition
- Sports Medicine
- · Foot Orthoses
- Biomechanics
- Osteoarthritis
- Aging
- Pain
- TENS
- Pediatrics
- Fertility
- Cardio Disease
- · Health Care Reform



Dr. Kettner's review of *Differences in cortical response to acupressure and electroacupuncture stimuli.*

To order full text of the article being reviewed, choose #1 from the citation list under "Acupuncture." Norman W. Kettner DC DACBR FICC Professor and Chair, Department of Radiology Logan College of Chiropractic University Programs



Witzel T, Napadow V, Kettner NW, Vangel MG, Hämäläinen MS, Dhond RP. Differences in cortical response to acupressure and electroacupuncture stimuli. BMC Neurosci. 2011 Jul 27;12:73.

Harvard Medical School, Martinos Center for Biomedical Imaging, Charlestown, MA 02129 Department of Radiology, Logan College of Chiropractic, Chesterfield Mo 63006

The neural processing of somatosensory inputs including touch and nociception engages multiple interacting brain networks including those regulating emotional, autonomic, cognitive and motor behavior. A sensory experience may evolve into a perception and over time is modified by learning, memory and our individual experience. If we experience cervical spinal pain following an auto accident, nociceptor inflammation from damaged tissue activates somatosensory inputs that produce local and referred pain, accelerate our heart rate and blood pressure, activate abnormal postural tone that reduces range of motion and we may experience anxiety and depression. The integration of the somatosensory system across all the neural systems is a remarkable property of the brain that helps ensure our survival in a complex and potentially threatening environment.

Over the last 20 years, the connectivity and systems interaction of somatosensory processing has been examined by multiple functional neuroimaging tools. These have included positron emission tomography (PET) functional magnetic resonance imaging (fMRI) and magnetoencephalography (MEG). In the MEG, neuronal activity is localized by measuring the magnetic field oscillations arising from fluctuating extracellular neuronal currents. Moving electrical currents induce an extremely weak magnetic field measured in picotesla (10⁻¹² T). The temporal resolution of MEG is in milliseconds in comparison to seconds with fMRI. Neural events are detected in high temporal resolution and display oscillations at different frequencies, representing sensory, motor and cognitive activity. High temporal resolution indicates precisely "when" a neural event has occurred.

Review continues on page 6.

ACUPUNCTURE

- 1. <u>Differences in cortical response to acupressure and electroacupuncture stimuli.</u> T Witzel, et al. <u>BMC Neuroscience</u> July 27, 2011; 12(1): 73 (8 pages).
- Effective acupuncture practice through diagnosis based on distribution of meridian pathways and related syndromes. Y Chen, et al. <u>Acupuncture & Electro-Therapeutics Research</u> 2011; 36(1/2): 1-18.
- Use of acupuncture and other CAM methods in obstetrics: an analysis of 409,413 deliveries from Hesse, German. K Munstedt, et al. Journal of Alternative and Complementary Medicine May 2011; 17(5): 421-426.

Volume 19, No. 3

LOW BACK PAIN / LUMBAR SPINE

Manipulation		Does maintained spinal manipulation therapy for chronic nonspecific low back pain result in better long- term outcome? M Senna, et al. Spine August 15, 2011; 36(18): 1427-1437. Spinal manipulative therapy for chronic low-back pain: an update of a Cochrane review. S Rubinstein, et al. Spine June 2011; 36(13): e825-e846.
	6.	Neurophysiologic effects of spinal manipulation in patients with chronic low back pain. B Clark, et al. BMC Musculoskeletal Disorders July 22, 2011; 12: 170 (10 pages).
	7.	Supervised exercise, spinal manipulation, and home exercise for chronic low back pain: a randomized clinical trial. G Bronfort, et al. Spine Journal July 2011; 11(7): 585-598.
Exercise	8.	Exercise, manual therapy, and education with or without high-intensity deep-water running for nonspecific chronic low back pain: a pragmatic randomized controlled trial. A Cuesta-Vargas, et al. American Journal of Physical Medicine and Rehabilitation July 2011; 90(7): 526-538.
Exe	9.	Physical activity and low back pain: a systematic review of recent literature. H Heneweer, et al. European Spine Journal June 2011; 20(6): 826-845.
nics	10.	Kinematic analysis of relative stability of the lower extremities between subjects with and without chronic low back pain. H Jo, et al. European Spine Journal August 2011; 20(8): 1297-1303.
Biomechanics	11.	Influence of low back pain status on pelvis-trunk coordination during walking and running. J Seay, et al. Spine July 25, 2011; 36(16): e1070-e1079.
Bion	12.	Is there a relationship between pain intensity and postural sway in patients with non-specific low back pain? A Ruhe, et al. <u>BMC Musculoskeletal Disorders</u> July 15, 2011; 12: 162 (8 pages).
ology	13.	. <u>Clinical presentation of low back pain and association with risk factors according to findings on</u> magnetic resonance imaging. J Shambrook, et al. <u>Pain</u> July 2011; 152(7): 1659-1665.
Radiology	14.	. What are the reliable radiological indicators of lumbar segmental instability? K Hasegawa, et al. Journal of Bone and Joint Surgery May 2011; 93-B(5): 650-670.
ption	15.	<u>Complementary and alternative medicine: perception and use by physiotherapists in the management</u> of low back pain. C Hughes, et al. <u>Complementary Therapies in Medicine</u> June 2011; 19(3): 149-154.
Perception	16.	Do patients and general practitioners have different perceptions about the management of simple mechanical back pain? S Amonkar, et al. International Musculoskeletal Medicine March 2011; 33(1): 3-7.
Cost	17.	Cost-effectiveness of general practice care for low back pain: a systematic review. C Lin, et al. European Spine Journal July 2011; 20(7): 1012-1023.
ther	18.	Administration of acupressure for relief of low back pain. S Hendrich, et al. International Journal of Athletic Therapy and Training September 2011; 16(5): 26-28.

2

WHIPLASH INJURIES

- 19. <u>Relationship between pressure pain thresholds and pain ratings in patients with whiplash-associated disorders.</u> S Kamper, et al. <u>Clinical Journal of Pain</u> July/August 2011; 27(6): 495-501.
- 20. <u>Altered postural sway in patients suffering from non-specific neck pain and whiplash associated disorder: a</u> <u>systematic review of the literature.</u> A Ruhe, et al. <u>Chiropractic & Manual Therapies</u> May 24, 2011; 19(1): 13 (11 pages).
- 21. <u>Similar factors predict disability and posttraumatic stress disorder trajectories after whiplash injury.</u> M Sterling, et al. <u>Pain</u> June 2011; 152(6): 1272-1278.
- Are symptoms of late whiplash specific? A Comparison of SCL-90-R symptom profiles of patients with late whiplash and patients with chronic pain due to other types of trauma. B Radanov, et al. Journal of Rheumatology June 2011; 38(6): 1086-1094.

HEADACHE / MIGRAINE

- 23. <u>Complementary and alternative medicine use among adults with migraines/severe headaches.</u> R Erwin Wells, et al. <u>Headache</u> July 2011; 51(7): 1087-1097.
- 24. <u>Differences in sensory processing between chronic cervical zygapophysial joint pain patients with and without cervicogenic headache.</u> N Chua, et al. <u>Cephalalgia</u> June 2011; 31(8): 947-957.
- 25. <u>Evidence-based guidelines for the chiropractic treatment of adults with headache.</u> R Bryans, et al. <u>Journal of</u> <u>Manipulative and Physiological Therapeutics</u> June 2011; 34(5): 274-289.
- 26. <u>Double-blind placebo-controlled pilot study of sublingual feverfew and ginger (LipiGesic ™ M) in the treatment of migraine.</u> R Cady, et al. <u>Headache</u> July 2011; 51(7): 1078-1086.

NECK PAIN / CERVICAL SPINE

- 27. Immediate effects on electromyographic activity and pressure pain thresholds after a cervical manipulation in mechanical neck pain: a randomized controlled trial. Journal of Manipulative and Physiological Therapeutics May 2011; 34(4): 211-220.
- 28. <u>Degenerative marrow (modic) changes on cervical spine magnetic resonance imaging scans: prevalence, inter– and intra-examiner reliability and link to disc herniation.</u> E Mann, et al. <u>Spine</u> June 15, 2011; 36(14): 1081-1085.
- 29. <u>Preoperative evaluation of the cervical spondylotic myelopathy with flexion-extension magnetic resonance imaging:</u> <u>about a prospective study of fifty patients.</u> L Zhang, et al. <u>Spine</u> August 2011; 36(17): e1134-e1139.
- <u>Comparing biofeedback with active exercise and passive treatment for the management of work-related neck and shoulder pain: a randomized controlled trial.</u> C Ma, et al. <u>Archives of Physical Medicine and Rehabilitation</u> June 2011; 92(6): 849-858.

SHOULDER

- High prevalence of shoulder girdle muscles with myofascial trigger points in patients with shoulder pain. C Bron, et al. <u>BMC Musculoskeletal Disorders</u> June 28, 2011; 12: 139 (12 pages).
- 32. <u>Alternative approach to the diagnosis and management of non-specific shoulder pain with case examples.</u> H Gemmell, et al. <u>Clinical Chiropractic</u> June 2011; 14(2): 38-45.

WEIGHT MANAGEMENT

- 33. <u>Structured diet and exercise program promotes favorable changes in weight loss, body composition, and weight maintenance.</u> R Kreider, et al. <u>Journal of the American Dietetic Association</u> June 2011; 111(6): 828-843.
- <u>Reduced-calorie dietary pattern including a daily sweet snack promotes body weight reduction and body composition</u> improvements in premenopausal women who are overweight and obese: a pilot study. K Piehowski, et al. <u>Journal of</u> the American Dietetic Association August 2011; 111(8): 1198-1203.
- 35. <u>Weight loss via diet and exercise improves exercise breathing mechanics in obese men.</u> T Babb, et al. <u>Chest</u> August 2011; 140(2): 454-460.
- 36. <u>Does excess body fat maintained after the seventh decade decrease life expectancy?</u> P Singh, et al. <u>Journal of the</u> <u>American Geriatrics Society</u> June 2011; 59(6): 1003-1011.

NUTRITION

- 37. <u>Complementary medicines (herbal and nutritional products) in the treatment of Attention Deficit Hyperactivity</u> <u>Disorder (ADHD): A systematic review of the evidence.</u> J Sarris, et al. <u>Complementary Therapies in Medicine</u>. August 2011; 19(4): 216-227.
- Insulin dynamics of breast- or formula-fed overweight and obese children. M Manco, et al. Journal of the American College of Nutrition February 2011; 30(1): 29-38.
- 39. <u>Prameha in Ayurveda: correlation with obesity, metabolic syndrome, and diabetes mellitus. Part 2 management of prameha.</u> H Sharma, et al. <u>Journal of Alternative and Complementary Medicine</u> July 2011; 17(7): 589-599.
- 40. <u>Green tea intake lowers fasting serum total and LDL cholesterol in adults: a meta-analysis of 14 randomized</u> <u>controlled trials.</u> X Zheng, et al. <u>American Journal of Clinical Nutrition</u> August 2011; 94(2): 601-610.

SPORTS MEDICINE

- Effect of carbohydrate-electrolyte beverage, lemon tea, or water on rehydration during short-term recovery from exercise. S Wong, et al. International Journal of Sport Nutrition and Exercise Metabolism August 2011; 21(4): 300-310.
- 42. <u>Eating for performance: bringing science to the training table.</u> L Bonci. <u>Clinics in Sports Medicine</u> July 2011; 30(3): 661-670.
- 43. Utilization of kinesio taping for fascia unloading. D O'Sullivan, et al. <u>International Journal of Athletic Therapy &</u> <u>Training</u> July 2011; 16(4): 21-27.
- 44. <u>High hamstring tendinopathy in three female long distance runners.</u> K White. <u>Journal of Chiropractic Medicine</u> June 2011; 10(2): 93-99.
- 45. <u>Effect of vibration treatment on symptoms associated with eccentric exercise-induced muscle damage.</u> W Lau, et al. <u>American Journal of Physical Medicine and Rehabilitation</u> August 2011; 90(8): 648-657.

FOOT ORTHOSES

46. <u>Foot orthoses: a review focusing on kinematics.</u> T Larose Chevalier, et al. <u>Journal of the American Podiatric Medical</u> <u>Association</u> July/August 2011; 101(4): 341-348.

BIOMECHANICS

- <u>Effects of spinal posture and pelvic fixation on trunk rotation range of motion.</u> T Montgomery, et al. <u>Clinical</u> <u>Biomechanics</u> August 2011; 26(7): 707-712.
- 48. <u>Biomechanical measures of knee joint mobilization.</u> J Silvernail, et al. <u>Journal of Manual and Manipulative Therapy</u> 2011; 19(3): 162-171.

OSTEOARTHRITIS

- <u>Osteoarthritis: an update with relevance for clinical practice.</u> J Bijlsma, et al. <u>Lancet</u> June 18, 2011; 377(9783): 2115-2126.
- 50. Treatment of knee osteoarthritis. E Ringdahl, et al. American Family Physician June 1, 2011; 83(11): 1287-1292.

AGING

- 51. <u>Effects of comprehensive osteopathic manipulative treatment on balance in elderly patients: a pilot study.</u> D Lopez, et al. <u>Journal of the American Osteopathic Association</u> June 2011; 111(6): 382-388.
- 52. <u>Effects of whole-body vibration training on different devices on bone mineral density.</u> S Von Stengel, et al. <u>Medicine & Science in Sports & Exercise</u> June 2011; 43(6): 1071-1079.

PAIN

- 53. <u>Central hyperexcitability as measured with nociceptive flexor reflex threshold in chronic musculoskeletal pain: a</u> <u>systematic review.</u> E Lim, et al. <u>Pain</u> August 2011; 152(8): 1811-1820.
- 54. <u>Traumatic and non-traumatic fibromyalgia syndrome: impact assessment on the life quality of women.</u> J Carneiro Fernandes, et al. <u>Journal of Musculoskeletal Pain</u> July 2011; 19(3): 128-133.

TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION

- 55. <u>Dose-specific effects of transcutaneous electrical nerve stimulation (TENS) on experimental pain: a systematic review.</u> L Claydon, et al. <u>Clinical Journal of Pain</u> September 2011; 27(7): 635-647.
- Immediate effect of electric point stimulation (TENS) in treating latent upper trapezius trigger points: a double blind randomized placebo-controlled trial. H Gemmell, et al. Journal of Bodywork and Movement Therapies July 2011; 15 (3): 348-354.

PEDIATRICS

57. <u>Restless legs syndrome, periodic leg movements, and periodic limb movement disorder in children.</u> J Durmer, et al. <u>Pediatric Clinics of North America</u> June 2011; 58(3): 591-620.

FERTILITY

58. <u>Women's use of complementary and alternative medicine for fertility enhancement: a review of the literature.</u> J Rayner, et al. <u>Journal of Alternative and Complementary Medicine</u> August 2011; 17(8): 685-690.

CARDIOVASCULAR DISEASE

59. <u>Effect of aspirin on mortality in the primary prevention of cardiovascular disease.</u> N Raju, et al. <u>American Journal of</u> <u>Medicine</u> July 2011; 124(7): 621-629.

HEALTH CARE REFORM

60. <u>Establishment of a primary spine care practitioner and its benefits to health care reform in the United States.</u> D Murphy, et al. <u>Chiropractic & Manual Therapies</u> July 21, 2011; 19(1): 17 (11 pages).

Dr. Kettner's review continued from page 1.

There is a sizeable and growing body of in vivo neuroimaging evidence, (majority is fMRI) that has mapped the underlying cortical and sub-cortical neural responses to acupuncture stimuli. Acupuncture analgesia develops from the activation of the endogenous anti-nociception circuits including opioidergic, noradrenergic, dopamine and other neurotransmitters. Evidence for neuroplastic reorganization of S-1 in carpal tunnel syndrome and its favorable modulation by acupuncture has been published by Napadow et al. The somatosensory system is triggered by conditioning stimuli such as acupuncture, but little is known regarding its spatiotemporal profile within the somatosensory cortex.

The study design by Witzel et al employed the high temporal resolution of a 306-channel MEG Vectorview (Elekta Neuromag Oy, Helsinki, Finland) housed in a custom built six-layer magnetically shielded room to record two different forms of acupuncture stimuli, electroacupuncture and acupressure. Responses were recorded in the S-1 of 16 normal volunteers naive to acupuncture. MEG responses were recorded from tactile (acupressure) and electrical current (both delivered at 2 Hz) applied to needles (electroacupuncture) in the forearm at acupoint PC-6 for 15 minutes.

Data analysis yielded contralateral S-1 localization (BA 3b) for both electroacupuncture and acupressure stimuli. Acupressure stimuli mapped slightly dorsal to electroacupuncture and the latencies were similar to the evoked median nerve M20 and M30 components. The peaks of these components were delayed in acupressure compared with electroacupuncture. The MEG/EEG brain wave oscillatory frequency responses in S-1 early on included gamma (30-50 Hz) and theta (6-8 Hz). Late responses included a reduction in alpha (8-13 Hz) and beta (15-30 Hz). The acupressure stimulus evoked a stronger brain response than electroacupuncture. There were no significant differences in oscillatory frequency ranges between electroacupuncture and acupressure. There was a significant reduction in the relative power of beta 100-300 ms post-stimulus in the electroacupuncture group.

The results of this study are unique and inform important spatiotemporal mechanisms underlying acupuncture and acupressure stimuli in S-1. Although electroacupuncture and acupressure stimuli recruit afferent nerves ($A\beta$ fibers), the acupressure stimulus was likely blunted and distributed over a wider area than electroacupuncture. The greater amplitude of cortical response by acupressure stimuli may have been reflective of the activation of more superficial fibers compared to electroacupuncture. The time frequency analysis for both stimuli types identified early onset gamma frequency activity. Although still under intense scientific investigation, this frequency band is thought to provide binding of attributes in a sensory stimulus. Gamma band activity is also known to occur during tactile and proprioceptive stimuli. Over the period of stimulation with electroacupuncture and acupressure, MEG activity attenuated consistent with habituation or conditioning response of the stimulus. This effect may be a mechanism underlying the beneficial effects of acupuncture in disorders where maladaptive neuroplasticity maintains the state of chronic pain.

InTouch is published by the Logan College of Chiropractic / University Programs Library Editors: Chabha Tepe, M.A., M.L.S.; Sheryl Walters, M.L.S. Reviewers: Norman Kettner, D.C., DACBR.; Rodger Tepe, Ph.D. Distributor: Jean Blue

PHOTOCOPY SERVICE

Photocopies of articles cited in InTouch may be ordered for \$8.00/each for alumni or \$10.00/each for non-alumni. Orders will be accepted by U.S. Mail, Fax (636-207-2448), telephone (636-227-2100 / 800-782-3344), or email at circdesk@logan.edu. We require a check or credit card information prior to providing off-campus / research services. Visa, Mastercard, Discover or American Express only. Prices are subject to change.

A listing of Library services and charges is available upon request.

Logan College of Chiropractic Library is registered with the Copyright Clearance Center.

PHOTOCOPY WARNING

NOTICE: WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material.

Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specific conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

This institution reserves the right to refuse to accept a copying order if, in its judgment, fulfillment of the order would involve violation of copyright law.

37 C.F.R. § 201.14

Articles ordered from the InTouch newsletter are \$8.00/each for alumni or \$10.00/each for non-alumni.

FOR THE FASTEST SERVICE: Call in your orders at (800)782-3344 x1781

You may also or-	FAX	(636) 207-2448	der by:
	MAIL	Logan College Library	
		PO Box 1065	
		Chesterfield, MO 63006-1065	
	EMAIL	circdesk@logan.edu	

Name:							
Address:							
City/State/Zip:							
Phone Number: ()			-				
Email:							
Send Articles By (check one):				Mail	🗆 En	nail	Fax

Please bill my VISA/MASTERCARD/AMERICAN EXPRESS/DISCOVER (Circle One)

Account Number:	
Expiration Date:	
Signature:	

Volume 19, Number 3 September 2011

Circle the article numbers you wish to order:

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

CREDIT CARD (VISA/MASTERCARD/AMERICAN EXPRESS/DISCOVER)

OR CASH ADVANCE REQUIRED. *Prices subject to change